


GR 91 10157

A checklist of, and references to, the Namibian spider fauna (Arachnida, Araneae)

Eryn Griffin¹ and Anna S. Dippenaar-Schoeman²

1. State Museum of Namibia, P.O.Box 1203, Windhoek, Namibia
2. Plant Protection Research Institute, Private Bag X134, Pretoria, 0001, South Africa



A list of all spider species known from published accounts to occur in Namibia and references to these species are presented. Spider species that have been recorded from areas adjacent to but outside Namibia's boundaries and taxa that are known to occur from the authors' unpublished collection data are also included.

INTRODUCTION

Namibia has a varied and in many cases highly specialized spider fauna. At present 41 families, 161 genera and 393 species are known, from published accounts, to occur in Namibia. An additional 9 families, 77 genera and 185 species are expected, with reasonable certainty, to occur in Namibia and have been included in this checklist with references. This list of taxa represents probably only ten percent of the actual number of species that occur in Namibia.

The “*” in front of a family or genus indicates that the taxon has not been recorded from Namibia in published accounts but is known to occur from the authors' unpublished collection data or is expected to occur once the north-eastern area of Namibia is more comprehensively collected. The “*” in front of a region indicates that the species has been collected in an area outside but adjacent to Namibia's boundaries and is expected to occur in Namibia.

The families have been placed in phylogenetic order according to Platnick 1989, Platnick 1990 and Platnick et al. 1991.

There is an index of families and genera at the end of this checklist.

The defined habitat regions used here follow Giess (1971)**.

NN = northern Namib Desert

CN = central Namib Desert


SND = southern Namib Desert dunes

SN = southern Namib Desert

Esc = Namib Desert escarpment

MS	= Mopane savanna
K	= Karstveld
TS	= thornbush savanna
HS	= highland savanna
DSS	= dwarf shrub savanna
SD	= saline desert
NK	= northern Kalahari Desert
CK	= central Kalahari Desert
SK	= southern Kalahari Desert

The reference numbers refer to the alphabetical list of references. The references have been examined by the authors and are housed in



** Figure 1. A preliminary vegetation map of South West Africa. Dinteria No. 4: 1–114.

their libraries. It will be noted that some of the very old species descriptions are not incorporated. This is not an oversight but indicates that the reference was unobtainable.

ACKNOWLEDGEMENTS

We thank Mr P. Croeser, Natal Museum, Mr M. Griffin, Ministry of Wildlife, Conservation and Tourism, Dr R.

Jocqué, Koninklijk Museum voor Midden-Afrika, Dr J. Mendelsohn, State Museum of Namibia, and Mr V. Roth for valuable comments on earlier drafts of the manuscript; Miss B. Pretorius, State Museum of Namibia, for her cheerful assistance over the years in obtaining references; Dr J. Henschel, State Museum of Namibia, for his advice on the utilization of a new computer and program and Miss C. Anderson, Plant Protection Research Institute, Pretoria, for her willing assistance in sending correspondence by FAX.

ARANAEAE RECORDED FROM OR EXPECTED TO OCCUR IN NAMIBIA

	Region	Reference
Cyrtacheniidae		
<i>Ancylotrypa elongata</i> Purcell, 1908	CK	47, 155, 157
<i>granulatus</i> (Hewitt, 1935)	*CK	61, 157
<i>namaquensis</i> (Purcell, 1908)	*DSS, SN	155, 157
<i>schultzei</i> (Purcell, 1908)	SN	155, 157
<i>*Homostola</i>		
Idiopidae		
<i>*Ctenolophus</i>		
<i>Galeosoma vernayi</i> Hewitt, 1935	*SK	47, 61, 157
<i>Idiops bersebensis</i> Strand, 1917	DSS	157, 204
<i>damarensis</i> Hewitt, 1934	TS	60, 157
<i>mafiae</i> Lawrence, 1927	NK	84, 157
<i>palapyi</i> Tucker, 1917	*SK	47, 157, 205
<i>pallidipes</i> Purcell, 1908	Esc	58, 155, 157
<i>striatipes</i> Purcell, 1908	CK	47, 155, 157
Ctenizidae		
<i>Stasimopus schultzei</i> Purcell, 1908	*SN, *DSS	155, 157
<i>obscurus</i> Purcell, 1908	*SN, *DSS	155, 157
Migidae		
<i>Moggridgea eremicola</i> Griswold, 1987	Esc	52, 134
<i>pallida</i> Hewitt, 1914	DSS	52, 57, 134, 157
<i>purpurea</i> Lawrence, 1928	NK, MS	52, 85, 134, 157
<i>whytei</i> Pocock, 1897	NK	52, 134, 140
Dipluridae		
<i>*Allothele</i>		
<i>Thelechoris karschi</i> Bösenberg & Lenz, 1894	*NK	22, 47, 134, 157
Nemesiidae		
<i>Hermacha lanata</i> Purcell, 1902	CN	96, 150, 157
<i>*Pionothele</i>		
<i>*Spiroctenus</i>		
Theraphosidae		
<i>Ceratogyrus bechuanicus</i> Purcell, 1902	MS, NK, CK	34, 47, 84, 85, 134, 150, 155, 157
<i>sanderi</i> Strand, 1906	HS	157, 191, 195

	Region	Reference
<i>Harpactira namaquensis</i> Purcell, 1902	SN, DSS	88, 96, 150, 155, 157, 191
<i>Harpactirella flavipliosa</i> Lawrence, 1936	NK	47, 86, 157
<i>lapidaria</i> Purcell, 1908	*SN, *DSS	155, 191
<i>spinosa</i> Purcell, 1908	*SN, *DSS	155, 191
<i>Pterinochilus crassispina</i> Purcell, 1902	*NK	150, 157, 190
<i>lugardi</i> Pocock, 1900	CK	47, 144, 157
*Filistatidae		
Sicariidae		
<i>Loxosceles bergeri</i> Strand, 1906	TS, HS, DSS	110, 157, 196
<i>pilosa</i> Purcell, 1908	Esc, CN, SN, DSS	106, 110, 155, 157
<i>simillima</i> Lawrence, 1927	MS, SD, NK	84, 85, 86, 106, 107, 109, 110, 157
<i>vonwredei</i> Newlands, 1980	MS	108, 110, 134
<i>Sicarius albospinosus</i> Purcell, 1908	CN, SN, Esc	88, 94, 96, 110, 112, 155, 157
<i>damarensis</i> Lawrence, 1928	NN, MS, NK, SD, TS, Esc	85, 110, 112, 157
<i>dolichocephalus</i> Lawrence, 1928	NN, MS	85, 110, 112, 157
<i>bahnii</i> (Karsch, 1878)	TS, HS, DSS	70, 96, 110, 112, 113, 155, 157, 175
<i>testaceus</i> Purcell, 1908	SN, DSS	110, 112, 155, 157
Scytodidae		
<i>Scytodes arenacea</i> Purcell, 1904	CN	96, 153, 155, 157
<i>bergeri</i> Strand, 1915		157, 201
<i>broomi</i> Pocock, 1902	Esc, *SN, *DSS	94, 96, 147, 155, 157
<i>kaokoensis</i> Lawrence, 1928	MS	85, 157
<i>quarta</i> Lawrence, 1927	MS	84, 157
<i>quinqua</i> Lawrence, 1927	K	84, 157
<i>schultzei</i> Purcell, 1908	*SN, *DSS	155, 157
<i>tertia</i> Lawrence, 1927	MS	84, 85, 157
Caponiidae		
<i>Caponia capensis</i> Purcell, 1904	SN, DSS	153, 155, 157
<i>natalensis</i> (Pickard-Cambridge, 1874)	CK	47, 126, 157
<i>Diploglena capensis</i> Purcell, 1904	SN	85, 153, 157
Pholcidae		
* <i>Pholcus phalangioides</i> (Fuesslin, 1775)	Cosmo	23, 157
<i>Smeringopus atomarius</i> Simon, 1910	K, TS, HS,	75, 88, 96,
<i>hypocrita</i> Simon, 1910	Esc, CN, CK	157, 188
<i>pallidus</i> (Blackwall, 1858)	SN, DSS	76, 75, 88, 134, 157, 188
<i>similis</i> Kraus, 1957	Cosmo	15, 75, 95, 134, 157, 188
	K, TS, SN	23, 75
*Spermophora		

	Region	Reference
*Ochyroceratidae		
Segestriidae		
<i>Ariadna hottentotta</i> Purcell, 1908	*SN, *DSS	155, 157
<i>insularis</i> Purcell, 1908	SN	96, 155, 157
<i>jubata</i> Purcell, 1904	*SN, *DSS	153, 155, 157
<i>masculina</i> Lawrence, 1928	MS	85, 157
<i>pulchripes</i> Purcell, 1908	CN	96, 155, 157
<i>similaris</i> Purcell, 1908	*CK	155, 157
<i>viridis</i> Strand, 1906	HS	157, 195
Oonopidae		
* <i>Australoonops</i>		
* <i>Gamasomorpha</i>		
<i>Nephrochirus copulatus</i> Simon, 1910	CN	96, 157, 188
* <i>Opopaea</i>		
<i>Sulsula parvimanus</i> Simon, 1910	CN	96, 157, 188
*Orsolobidae		
Palpimanidae		
<i>Ikuma spiculosus</i> Lawrence, 1927	SD	84, 88, 157
<i>squamata</i> Lawrence, 1938	NK	88, 157
<i>Diaphorocellus albooculatus</i> Lawrence, 1927	MS	84, 85, 130, 157
<i>biplagiata</i> Simon, 1893	MS, NK, TS, HS, CK, Esc, CN, *SN, DSS	47, 84, 85, 86, 88, 94, 130, 157, 176, 188
<i>helveola</i> (Simon, 1910)	*CK	130, 157, 188
<i>Palpimanus aureus</i> Lawrence, 1927	NK	33, 84, 132, 157
<i>namaquensis</i> Simon, 1910	Esc, *SN	33, 94, 96, 132, 157, 188
<i>nubilus</i> Simon, 1910	Esc	33, 132, 157, 188
<i>paroculus</i> Simon, 1910	*SN	33, 132, 157, 188
<i>stridulator</i> Lawrence, 1962	CN	23, 94, 96, 132
Eresidae		
<i>Adonea splendens</i> Lawrence, 1936	NK	47, 86, 99, 157
<i>variegata</i> Purcell, 1904	Esc, SN, DSS	99, 153, 155, 157, 206
<i>Dresserus fontensis</i> Lawrence, 1928	MS	85, 157
<i>laticeps</i> Purcell, 1904	*SK	153, 157
<i>murinus</i> Lawrence, 1927	NK	84, 157
<i>namaquensis</i> Purcell, 1908	SN, DSS	155, 157
<i>rostratus</i> Purcell, 1908	Esc	155, 157
<i>schultzei</i> Purcell, 1908	SN	99, 155, 157
<i>sericatus</i> Tucker, 1920	HS	157, 206
<i>subarmatus</i> Tullgren, 1910	NK	86, 208
<i>submarginatus</i> Tullgren, 1910	*NK	47, 86, 157, 208
<i>Gandanameno echinatus</i> (Purcell, 1908)	CN	99, 155, 157, 206
<i>fumosus</i> (Koch, 1837)	SN	74, 155, 157, 199, 206
<i>spenceri</i> (Pocock, 1900)	SN, DSS	88, 99, 144, 157
<i>Paradonea striatipes</i> Lawrence, 1968	SD	23, 98

	Region	Reference
<i>Seothyra annettae</i> Dippenaar-Schoeman, 1990	CN	44
<i>dorstlandica</i> Dippenaar-Schoeman, 1990	MS	44
<i>fasciata</i> Purcell, 1904	CN, DSS, SK	44, 153, 157
<i>griffinae</i> Dippenaar-Schoeman, 1990	SD	44
<i>henscheli</i> Dippenaar-Schoeman, 1990	CN	44
<i>longipedata</i> Dippenaar-Schoeman, 1990	CN	44
<i>louweri</i> Dippenaar-Schoeman, 1990	CN	44
<i>neseri</i> Dippenaar-Schoeman, 1990	NK	44
<i>roshensis</i> Dippenaar-Schoeman, 1990	DSS	44
<i>schreineri</i> Purcell, 1903	DSS	44, 99, 151, 157
<i>Stegodyphus africanus</i> (Blackwall, 1866)	MS, *NK	17, 77, 157
<i>bicolor</i> (Pickard-Cambridge, 1869)	MS, NK, TS, HS, Esc, CK, CN, DSS	77, 84, 85, 94, 125, 153, 157
<i>dumicola</i> Pocock, 1898	MS, SD, NK, TS, HS, CK, Esc, SN	77, 84, 85, 99, 142, 155, 157, 206
<i>mimosarum</i> Pavesi, 1883	NK	47, 77, 84, 117, 142, 155, 157, 214
<i>tentoriicola</i> Purcell, 1904	SK	47, 77, 157
Oecobiidae		
<i>Oecobius navus</i> Blackwall, 1859	Cosmo	11, 134, 157, 175, 218
<i>Paroecobius wilmotae</i> Lamoral, 1981	NK	23, 47, 83
<i>Urocea quinquenotata</i> Simon, 1910	*SN	5, 157, 188, 206
<i>schinzi</i> Simon, 1887	DSS	5, 47, 96, 157, 173, 188, 206
<i>semilimbata</i> Simon, 1910	CN, Esc	5, 157, 188
<i>septemnotata</i> Tucker, 1920		5, 157, 206
* <i>Uroecobius</i>		
Hersiliidae		
<i>Hersilia arborea</i> Lawrence, 1928	MS	6, 85, 157, 193
<i>setifrons</i> Lawrence, 1928	MS, HS	6, 85, 157, 193
<i>Hersiliola australis</i> Simon, 1893	HS, TS, *SN, *DSS	88, 157, 177, 188, 193, 206
<i>fragilis</i> Lawrence, 1928	MS	85, 157, 193
<i>Tama bicava</i> Smithers, 1945	MS	23, 193
*Deinopidae		
* <i>Deinopis</i>		
* <i>Menneus</i>		
Uloboridae		
* <i>Miagrammopes</i>		
<i>Uloborus plumipes</i> Lucas, 1846	Cosmo	9, 12, 48, 85, 99, 101, 157, 175

	Region	Reference
*Cyatholipidae		
*Cyatholipus		
Theridiidae		
*Argyrodes		
<i>*Coscinida tibialis</i> Simon, 1895	Africa	134
*Dipoena		
<i>Enoplognatha molesta</i> Pickard-Cambridge, 1904	*SN	129, 157, 188
*Episinus		
<i>Latrodectus geometricus</i> C.L.Koch, 1841	Cosmo	23, 42, 46, 47, 49, 79, 96, 111, 113, 147, 148, 167, 188, 192
<i>cinctus</i> Blackwall, 1865	Namibia	16, 46, 84, 94, 96, 103, 106, 111, 113, 147, 167, 188, 192
<i>rhodesiensis</i> Mackay, 1972	NK	23, 46, 102, 106
<i>Steatoda capensis</i> Hann, 1990	CN	54, 96, 129, 157, 188
<i>grossa</i> (C.L.Koch, 1838)	SN	96, 100, 134, 157, 188
<i>marmorata</i> (Simon, 1910)	*SN	157, 188
<i>Theridion purcelli</i> Pickard-Cambridge, 1904	CN	96, 129, 157, 188
<i>rufipes</i> Lucas, 1846	Cosmo	101, 157
Linyphiidae		
<i>Ceratinopsis idanrensis</i> Locket & Russell-Smith, 1980	NK	47, 164
*Erigone		
<i>Leptophantes patulus</i> Locket, 1968	*NK	166
*Mecynidisi		
*Meioneta		
<i>Metaleptyphantes perexiguus</i> (Simon & Fage, 1922)	NK	47, 134
<i>Neriene helsdingeni</i> (Locket, 1968)	*NK	166
<i>Ostearius melanopygius</i> (O.P.Cambridge, 1879)		42, 62, 64, 157
*Pelecopsis		
Tetragnathidae		
<i>Leucauge festiva</i> (Blackwall, 1866)	NK	17, 88
<i>Nephila senegalensis</i> (Walckenaer, 1841)	MS, SD, NK, TS, CK	2, 3, 42, 47, 84, 85, 86, 88, 134, 157
<i>Tetragnatha andonea</i> Lawrence, 1927	SD, NK, CN	84, 88, 94, 96, 157
<i>boydi</i> Pickard-Cambridge, 1898	NK, K, Esc	47, 84, 86, 88, 115, 134, 157, 215
<i>jaculator</i> Tullgren, 1910	NK	47, 86, 114, 115, 134, 157
<i>nitens</i> (Audouin, 1826)	MS	84, 85, 127, 134, 157, 215
<i>strandi</i> Lessert, 1915	NK	47, 86, 115
<i>vermiformis</i> Emerton, 1884	NK	157, 198
Araneidae		
<i>Araneus eresifrons</i> Pocock, 1898	MS	84, 85, 142
<i>kalaharensis</i> Simon, 1910	CK	47, 86, 157, 188

	Region	Reference
<i>Argiope striatus</i> (Bösenberg & Lenz, 1894)	CK	22, 47, 86
<i>Argiope lobata</i> (Pallas, 1772)	SK	195
<i>nigrovittata</i> Thorell, 1859	NK, CN, CK	42, 47, 85, 87, 88, 94, 96, 157, 187, 188
<i>trifasciata</i> Forskal, 1775	NK	47, 157
<i>Caerostris corticosa</i> Pocock, 1902	CK, SN	47, 50, 86, 134, 157
<i>vinsonii</i> Thorell, 1868	*CK	50, 86, 134, 157
<i>Cyrtophora citricola</i> (Forskal., 1775)	Cosmo	42, 47, 85, 134, 175
<i>Gasteracantha milvooides</i> Butler, 1873		134
<i>sanguinolenta</i> C.L. Koch, 1845	Africa	4, 157
<i>Isoxya mucronata</i> (Walckenaer, 1841)	Africa	134
<i>testudinaria</i> Simon, 1901	Africa	134
<i>Nemoscolus tubicola</i> (Simon, 1887)	SN	96, 157, 173, 188
<i>Neoscona blondeli</i> (Simon, 1885)	K	51, 134
<i>birta</i> (C.L.Koch, 1845)	NK	51, 134
<i>moreli</i> (Vinson, 1863)	MS, SD, NK	51, 88, 134
<i>nautica</i> (C.L.Koch, 1875)	NK	51, 134
<i>quadrigibbosa</i> Grasshoff, 1986	MS, SD, HS, DSS	51, 134
<i>subfuscata</i> (C.L.Koch, 1837)	MS, SD, NK, CN	51, 74, 134
<i>triangula</i> (Keyserling, 1864)	MS, NK, TS, Esc, SN	51, 134, 142
<i>*Polyst</i>		
<i>Pycnacantha dinteri</i> Meise, 1932	HS	104, 157
Lycosidae		
<i>Allocosa bersabae</i> Roewer, 1959	DSS	23
<i>exserta</i> Roewer, 1959	NK	23, 157, 160
<i>glochidea</i> Roewer, 1959	HS	23, 157, 160
<i>kalaharensis</i> (Simon, 1910)	*NK, K, *SK	47, 84, 85, 86, 88, 160, 188
<i>mafensis</i> (Lawrence, 1927)	NK	84, 157, 160
<i>obturata</i> (Lawrence, 1928)	NK	85, 157, 160
<i>otavia</i> Roewer, 1959	K	23, 160
<i>parvivulva</i> (Lawrence, 1927)	NK	84, 157, 160, 188
<i>perfecta</i> Roewer, 1959	HS	23, 157, 160
<i>pulchella</i> Roewer, 1959	NK	23, 157, 160
<i>Allobogna gigantea</i> (Roewer, 1960)		23, 134, 161
<i>Alopecosa kalahariana</i> Roewer, 1960	NK	23, 161
<i>Amblyothele albocincta</i> Simon, 1910	*CK	157, 161, 188
<i>togona</i> Roewer, 1960	NK	23, 47, 161, 164
<i>Arctosa hottentotta</i> Roewer, 1960	HS	23, 161
<i>leaeniformis</i> (Simon, 1910)	*NK	134, 157, 161, 188
<i>o'neili</i> (Purcell, 1903)	NK	152, 161
<i>otaviensis</i> Roewer, 1960	K	23, 161
<i>Artoriella maculatipes</i> Roewer, 1960	TS	23, 161
<i>Avicosa darlingi</i> (Pocock, 1898)	CK	86, 134, 141, 160
<i>subpersonata</i> (Simon, 1910)	*SN	85, 86, 134, 157, 160
<i>Evippa relicta</i> Lawrence, 1927	NK	84, 85, 157
<i>Evippomma cristata</i> (Simon, 1910)	TS	157, 160, 188
<i>Geolycosa appetens</i> Roewer, 1960	NK	23, 161
<i>gaerdesi</i> Roewer, 1960	TS	23, 161

	Region	Reference
<i>nolothensis</i> (Simon, 1910)	SD, *SN	157, 161, 188
<i>Hippasa africana</i> Roewer, 1960	K	23, 161
<i>australis</i> Lawrence, 1927	MS	84, 87, 157, 161
<i>Hoggicosia exigua</i> Roewer, 1960	TS	23, 161
<i>Lycorma furvescens</i> (Simon, 1910)	*NK	85, 157, 161, 188
<i>hereroana</i> Roewer, 1960	Esc	23, 161
<i>lawrencei</i> Roewer, 1960	NK	23, 47, 164
<i>luderitzi</i> (Simon, 1910)	SN	96, 157, 161, 188
<i>ruricolaris</i> (Simon, 1910)	*NK	47, 86, 157, 161, 188
<i>Lycosa bimaculata</i> Purcell, 1903	NK	47, 160, 164
<i>efformata</i> (Roewer, 1959)	TS	23, 134, 160
<i>estrix</i> (Roewer, 1959)	TS	23, 134, 160
<i>etoshana</i> (Roewer, 1959)	SD	23, 134, 160
<i>flava</i> (Roewer, 1959)	HS	23, 134, 160
<i>ocyalina</i> Simon, 1910	*CK	134, 157, 160, 188
<i>praestans</i> Roewer, 1960	*CK	23, 161
<i>schultzei</i> (Simon, 1910)	*CK	47, 86, 134, 157, 160, 188
<i>schreineri</i> Purcell, 1903	K, TS	134, 151, 157, 160
<i>swakopmundensis</i> (Strand, 1916)	CN	96, 134, 157, 160
<i>Ocyale atalanta</i> Audouin, 1826	TS, HS	86, 161
<i>Pardosa crassipalpis</i> Purcell, 1903	NK	47, 157, 164
<i>foveolata</i> Purcell, 1903	NK	89, 152, 157
<i>limata</i> Roewer, 1959	HS	23, 160
<i>lusingana</i> Roewer, 1959	NK	160, 164
<i>lycosinella</i> Lawrence, 1927	NK	84, 157
<i>manubriata</i> Simon, 1898	NK, TS, HS, SN	33, 78, 85, 96, 157, 181, 188
<i>naevioides</i> (Strand, 1916)	DSS	157
<i>novitatis</i> (Strand, 1906)		157
<i>oncka</i> Lawrence, 1927	NK, TS	33, 78, 85, 134, 157
<i>ovambica</i> Roewer, 1959	NK	23, 160
<i>potamophila</i> Lawrence, 1927	MS	84, 157
<i>schreineri</i> Purcell, 1903	*NK	152, 157, 188
<i>Pirata trepida</i> Roewer, 1960	SD	23, 161
<i>Proevippa albiventris</i> (Simon, 1898)	SD, *DSS, *SK	85, 134, 161, 165, 188
<i>eberlanzi</i> (Roewer, 1959)	SN	1, 23, 96, 160
<i>Pseudevippa cana</i> Simon, 1910		1, 157, 188
<i>Tricassass deserticola</i> Simon, 1910	SN	96, 122, 157, 161, 188
<i>Trochosa aperta</i> (Roewer, 1960)		23, 134, 161
<i>Trochosippa eberlanzi</i> Roewer, 1960	SN	23, 96, 158, 161
<i>eugeni</i> (Roewer, 1954)	*SN	157, 161, 188
<i>Zenonina mystacina</i> Simon, 1898	TS	157, 160, 181, 182
Pisauridae		
<i>Euprosthenops australis</i> Simon, 1898	HS	20, 84, 85, 88, 92, 157, 159, 181, 182, 188
<i>biguttatus</i> Roewer, 1954		20, 157, 159
<i>wuhlschi</i> Roewer, 1954	CK	20, 157, 159
<i>Perenethis symmetrica</i> (Lawrence, 1927)	MS	19, 84, 157, 159
<i>Rothus auratus</i> Pocock, 1900	*DSS	21, 144, 146, 157, 159
<i>Spencerella namaquensis</i> Roewer, 1954	K	18, 21, 23, 159

	Region	Reference
<i>Thalassius margaritatus</i> Pocock, 1898	MS, SD, NK, K, TS	84, 143, 157, 159, 168
<i>massayae</i> (Pavesi, 1883)	TS	117, 157, 159, 168
<i>radiatolineatus</i> Strand, 1906	NK	157, 168, 194
<i>spinossissimus</i> (Karsch, 1879)	HS	71, 124, 157, 159, 168, 188
Agelenidae		
<i>Agelena suboculata</i> Simon, 1910	*NK	99, 157, 159, 188
<i>Benoitia australis</i> (Simon, 1896)		85, 99, 157, 159, 180
<i>Olorunia gaerdesi</i> (Roewer, 1954)	TS	99, 157, 159
<i>ocellata</i> (Pocock, 1900)	Esc, SN, DSS	86, 99, 144, 157, 159, 188
* <i>Tegenaria domestica</i> (Clerk, 1757)	Cosmo	96, 99, 116, 134, 157, 163, 188
Desidae		
<i>Desis formidabilis</i> (Pickard-Cambridge, 1890)	SN	80, 82, 96, 99, 122, 128, 157, 159, 188
*Hahniidae		
* <i>Hahnia</i>		
*Dictynidae		
* <i>Archaeodictyna</i>		
* <i>Mashimo</i>		
* <i>Ulova</i>		
Amaurobiidae		
<i>Namaquarachne angulata</i> Griswold, 1990	*SN	53, 155, 157
<i>thaumatala</i> Griswold, 1990	*DSS	53, 155, 157
<i>Pseudauximus annulatus</i> Purcell, 1908	SN, DSS	99, 155, 157
Oxyopidae		
<i>Hamataliwa rostrifrons</i> (Lawrence, 1928)	MS	85, 157
<i>rufocaligata</i> Simon, 1898	MS	85, 157, 182
<i>Oxyopes auriculata</i> Lawrence, 1927	NK	84, 157
<i>castanea</i> Lawrence, 1927	NK	84, 157
<i>Peucetia crucifer</i> Lawrence, 1927	MS	84, 85, 157, 209
<i>pulchra</i> (Blackwall, 1865)	NK, TS	16, 157, 209
<i>striata</i> Karsch, 1878	MS	47, 69, 86, 88, 93, 96, 157, 209
<i>viridis</i> (Blackwall, 1858)	MS, SD, TS, CN, Esc, HS, SN, DSS, SK	15, 157, 209
*Miturgidae		
* <i>Syrisca</i>		
* <i>Campostichomma</i>		
Liocranidae		
<i>Argistes africanus</i> Simon, 1910	SN	96, 157, 188

	Region	Reference
<i>Thysanina serica</i> Simon, 1910	SN	96, 157, 188
Clubionidae		
<i>Cheiracanthium castum</i> Lawrence, 1927	NK	84, 157
<i>lawrencei</i> Roewer, 1951	NK	42, 47, 84, 86, 110, 157, 158
<i>simplicitarse</i> Simon, 1910	*SN	86, 157, 188
<i>vansoni</i> Lawrence, 1936	NK	86, 157
<i>Clubiona aspidiophora</i> Simon, 1910	*SN	157, 188
<i>nollothensis</i> Simon, 1910	*SN	157, 188
Corinnidae		
<i>*Castianeira</i>		
<i>Copa agelenina</i> Simon, 1910	*NK	157, 188
<i>benina</i> Strand, 1915	MS	85, 157, 200
<i>Graptaria granulosa</i> Simon, 1896	MS	85, 157, 179
<i>*Trachelas</i>		
Zodariidae		
<i>Akyttara homunculus</i> Jocqué, 1991	*NK	68
<i>Caesetius flavoplagiatus</i> Simon, 1910	SN	67, 157, 188
<i>schultzei</i> Simon, 1910	*SN	67, 157, 188
<i>Capheris apophysalis</i> Lawrence, 1928	MS	85, 157
<i>cordiculva</i> Lawrence, 1928	MS	85, 157
<i>crassimana</i> (Simon, 1887)	TS, DSS, SK	47, 68, 157, 173, 175, 188
<i>fitzsimonsi</i> Lawrence, 1936	CK	47, 86, 157
<i>haematalis</i> Simon, 1910	CN	157, 188
<i>kunenensis</i> Lawrence, 1927	MS	84, 157
<i>langi</i> Lawrence, 1936	*CK	47, 86, 157
<i>oncka</i> Lawrence, 1927	NK	84, 157
<i>*Chariobas</i>		
<i>Cicynethus acanthopus</i> Simon, 1910	SN	68, 96, 188
<i>Cydrela approximata</i> (Karsch, 1878)	CN	69, 95, 157
<i>otavensis</i> Lawrence, 1928	MS	85, 157
<i>rutilans</i> Simon, 1887		47, 173
<i>Cyrioctea hirsuta</i> Platnick & Griffin, 1988	NN	137
<i>namibensis</i> Platnick & Griffin, 1988	Esc	137
<i>whartoni</i> Platnick & Griffin, 1988	CN	137
<i>Diores damara</i> Jocqué, 1990	MS	66
<i>delicatulus</i> Lawrence, 1936	NK	47, 66, 86, 157
<i>druryi</i> Tucker, 1920	K	66, 157, 206
<i>griswoldorum</i> Jocqué, 1990	SN	66
<i>nanibia</i> Jocqué, 1990	HS, Esc	66
<i>radulifer</i> Simon, 1910	CK, DSS	66, 157, 188
<i>ruselli</i> Jocqué, 1990	*NK	66
<i>salisburyensis</i> Tucker, 1920	NK	66, 157, 206
<i>triangulifer</i> Simon, 1910	MS, SD, TS, HS, Esc, CN, DSS	66, 84, 157, 188
<i>*Dusmadiores</i>		
<i>Heradida bicincta</i> Simon, 1910	*SN	65, 68, 157, 188

	Region	Reference
<i>griffinae</i> Jocqué, 1987	Esc	65, 134
* <i>Hermippus</i>		
* <i>Mallinus</i>		
<i>Palfuria retusa</i> Simon, 1910	*SN	157, 188
<i>panner</i> Jocqué, 1991	Esc	68
<i>Psammoduon canosum</i> (Simon, 1910)	SN	67, 157, 188
<i>deserticola</i> (Simon, 1910)	CN, SN	10, 67, 68, 94, 96, 157, 188
<i>Psammorygma caligata</i> Jocqué, 1991	CN	68
<i>Ranops caprivi</i> Jocqué, 1991	NK	68
Ammoxenidae		
<i>Ammoxenus coccineus</i> Simon, 1892	MS, SD, NK, K, CK, Esc, CN, SN, DSS	8, 45, 85, 123, 134, 157, 175
<i>kalaharicus</i> Benoit, 1972	*SN	8, 23, 45, 134
<i>psammodromus</i> Simon, 1910	*NK	8, 45, 47, 134, 157, 164
<i>Rastellus africanus</i> Platnick & Griffin, 1990	MS, SD, NK	138
<i>narubis</i> Platnick & Griffin, 1990	Esc	138
<i>sabulosus</i> Platnick & Griffin, 1990	CN	138
<i>struthio</i> Platnick & Griffin, 1990	Esc	138
Gnaphosidae		
<i>Asemesthes albovittatus</i> Purcell, 1908	SN	96, 155, 157, 207
<i>alternata</i> Lawrence, 1928	MS	85, 157
<i>aureus</i> Purcell, 1908	*SN	155, 207
<i>decoratus</i> Purcell, 1908	*SN	96, 155, 157, 207
<i>flavipes</i> Purcell, 1908	SN	96, 155, 157, 207
<i>fodina</i> Tucker, 1923	K	157, 207
<i>kunenensis</i> Lawrence, 1927	MS	84, 157
<i>lineatus</i> Purcell, 1908	MS, SD, CN	84, 85, 96, 155, 157, 207
<i>montanus</i> Tucker, 1923	K, TS	157, 207
<i>numisma</i> Tucker, 1923	HS, DSS	207
<i>pallidus</i> Purcell, 1908	*SN	155, 157, 207
<i>perdignus</i> De Dalmas, 1921		27, 157
<i>purcelli</i> Tucker, 1923	MS	85, 157, 207
<i>sinister</i> Lawrence, 1927	MS	84, 157
<i>windhukensis</i> Tucker, 1923	MS, K, HS	85, 157, 207
<i>Camillina aestus</i> Tucker, 1923	DSS	157, 207
<i>browni</i> Tucker, 1923	NK	47, 157, 164
<i>cordifera</i> (Tullgren, 1910)	NK	47, 89, 134, 139, 157, 164, 207
<i>corrugata</i> (Purcell, 1907)	MS, NK, K, HS, CN, *SN	47, 85, 94, 96, 154, 157, 164, 207
<i>lutea</i> Tucker, 1923	NK	47, 164, 207
<i>maun</i> Platnick & Murphy, 1987	MS, *NK	134, 139
<i>namibensis</i> Platnick & Murphy, 1987	CN, DSS	134, 139
<i>pavesii</i> (Simon, 1897)	NK	134, 139, 157
<i>procura</i> (Purcell, 1908)	*SN	134, 139, 155, 157, 207
<i>Diaphractus muticus</i> Lawrence, 1927	MS	84, 157

	Region	Reference
<i>Drassodes bechuanicus</i> Tucker, 1923	NK	47, 157, 164, 207
<i>sesquidentatus</i> Purcell, 1908	*SN, *DSS	155, 157, 207
<i>Echemus erutus</i> Tucker, 1923	NK	84, 157, 207
<i>Megamyrmaekion velox</i> (Simon, 1887)	*CK	47, 157, 173, 207
<i>Micaria chrysia</i> (Simon, 1910)	*SN	157, 188
<i>tersissima</i> Simon, 1910	*SN	157, 188
<i>Nomisia frenata</i> Purcell, 1908	*SN	27, 155, 207
<i>tubala</i> (Tucker, 1923)	HS	157, 207
<i>Pterotricha auris</i> (Tucker, 1923)	MS	131, 157, 188, 207
<i>varius</i> (Tucker, 1923)	MS, HS	85, 131, 207
<i>Rhaebocesis denotatus</i> Lawrence, 1928	MS	85, 157
<i>Scotophaeus beroeensis</i> Strand, 1915	DSS	157, 202
<i>lamperti</i> Strand, 1906	DSS	157, 194, 207
<i>relegatus</i> Purcell, 1907	SN	96, 154, 155, 157, 207
<i>Setaphis anchoralis</i> Purcell, 1908	SN	96, 155, 157, 207
<i>bechuanica</i> Purcell, 1908	*CK	47, 155, 157, 207
<i>hessei</i> Lawrence, 1928	MS	85, 157
<i>kaokoensis</i> Lawrence, 1928	MS	85, 157
<i>lapidaria</i> Lawrence, 1928	MS	85, 157
<i>lightfooti</i> Tucker, 1923	K	157, 207
<i>omuramba</i> Lawrence, 1927	MS	84, 157
<i>quadrativalva</i> Lawrence, 1927	NK	84, 157
<i>Trichothyse fontensis</i> Lawrence, 1928	MS	85, 157
<i>hortensis</i> Tucker, 1923	TS	157, 207
<i>subtropica</i> Lawrence, 1927	MS	84, 157
<i>Upognampa ctenipalpis</i> Lawrence, 1927	MS	84
<i>Xerophaeus ahenus</i> Purcell, 1908	*DSS	155, 157, 207
<i>hottentottus</i> Purcell, 1908	*SN, *DSS	155, 157, 207
<i>longispina</i> Purcell, 1908	*SN, *DSS	155, 157, 207
<i>occiduus</i> Tucker, 1923	TS	157, 207
<i>perversus</i> Purcell, 1908	MS, SD, NK, K, HS, Esc, CN, SN, DSS	155, 207
<i>robustus</i> Lawrence, 1936	*CK	47, 86, 157
<i>vickermani</i> Tucker, 1923	*SK	157, 207
<i>Zelotes aculeata</i> (Purcell, 1908)	SN	96, 155, 157, 207
<i>cronwrighti</i> (Purcell, 1907)	NK	47, 154, 157, 164, 207
<i>demonica</i> Lawrence, 1927	NK	84, 157
<i>flavitaris</i> (Purcell, 1908)	*SN	155, 157, 207
<i>montanus</i> (Purcell, 1907)	NK	47, 154, 157, 164, 207
<i>o'neili</i> (Purcell, 1907)	NK	47, 154, 157, 164, 207
<i>ovambensis</i> Lawrence, 1927	MS	84, 157
<i>pallidipes</i> Tucker, 1923	DSS	157, 207
<i>pedimaculosa</i> Tucker, 1923	HS	157, 207
<i>pulchripes</i> (Purcell, 1908)	*DSS	155, 157, 207
<i>radiata</i> Lawrence, 1928	MS	85, 157
<i>soltaria</i> Lawrence, 1936	*CK	47, 86, 157
Prodidomidae		
* <i>Astrodomus</i>		
* <i>Hyltonia</i>		
<i>Prodidomus hirsutus</i> Lawrence, 1927	MS	84, 157

	Region	Reference
<i>lampei</i> Strand, 1915		25, 157, 202
<i>reticulatus</i> Lawrence, 1927	MS, NK	25, 84, 85, 96, 157
<i>*Purcelliana</i>		
<i>Theuma ababensis</i> Tucker, 1923	Esc	157, 207
<i>andonea</i> Lawrence, 1927	SD	84, 157
<i>capensis</i> Purcell, 1907	*CK	47, 154, 157, 207
<i>funerea</i> Lawrence, 1928	MS	85, 157
<i>fusca</i> Purcell, 1907	NK, TS, CN	47, 154, 155, 157, 164, 207
<i>intermedia</i> Strand, 1915		157, 202
<i>longipes</i> Lawrence, 1927	MS	84, 85, 88, 96, 157
<i>maculata</i> Purcell, 1907	*SN, *DSS	154, 155, 157, 207
<i>microptibialma</i> Lawrence, 1928	MS	85, 157
<i>ovambica</i> Lawrence, 1927	MS	84, 157
<i>pusilla</i> Purcell, 1908	SN	155, 157, 207
<i>recta</i> Lawrence, 1927	MS, SD	84, 85, 157
<i>schultzei</i> Purcell, 1908	*SN, *DSS	154, 157, 207
<i>velox</i> Purcell, 1908	SN	154, 157, 207
Trochanteriidae		
<i>Platyoides alpha</i> Lawrence, 1928	MS	85, 88, 96, 133, 134, 154, 157
<i>fitzsimonsi</i> Lawrence, 1938	DSS	88, 133, 134, 157
<i>unidentatus</i> Lawrence, 1927	MS	84, 157
Ctenidae		
<i>Ctenus erythrochelis</i> (Simon, 1876)	*NK	157
<i>pulchriventris</i> (Simon, 1897)	*NK	14, 134
<i>vagus</i> Blackwall, 1866	*NK	17, 35, 124, 157
Selenopidae		
<i>Anyplops broomi</i> (Pocock, 1900)	*SN, *DSS	7, 90, 144, 157, 188
<i>namaquensis</i> (Lawrence, 1940)	*SN, *DSS	7, 90, 157
<i>sexspinatus</i> (Lawrence, 1940)	*CK	7, 90, 157
<i>Selenops radiatus</i> Latr., 1819	MS, NK, TS, HS, CK	7, 13, 47, 84, 86, 88, 90, 96, 157
<i>stridulans</i> Lawrence, 1940	*SN, *DSS	90, 96
Heteropodidae		
<i>Arandisa deserticola</i> Lawrence, 1938	MS	88, 96, 157
<i>Carparachne alba</i> Lawrence, 1962	CN	23, 94, 96
<i>aureoflava</i> Lawrence, 1966	CN	23, 97
<i>Leucorchestris alexandrina</i> Lawrence, 1966	NN	23, 97
<i>arenicola</i> Lawrence, 1962	CN	23, 55, 94, 96, 97
<i>flavimarginata</i> Lawrence, 1966	NN	23, 97
<i>porti</i> Lawrence, 1965	NN, MS	23, 96, 97
<i>sabulosa</i> Lawrence, 1966	SN	23, 55, 97
<i>setifrons</i> Lawrence, 1966	NN	23, 97
<i>steyni</i> Lawrence, 1965	NN	23, 96
<i>Microrchestris melanogaster</i> Lawrence, 1962	CN	23, 94, 96
<i>scutatus</i> Lawrence, 1966	SN	23, 97
<i>Olios correvoni</i> De Lessert, 1921	MS, CN, *CK,	47, 85, 86,

	Region	Reference
<i>Olios correvoni</i> (cont.)	*DSS	88, 94, 96, 157
<i>darlingi</i> (Pocock, 1901)	*CK	47, 86, 145, 157
<i>furcatus</i> Lawrence, 1927	MS, SD	84, 85, 157
<i>tuckeri</i> Lawrence, 1927	MS	84, 157
<i>Orchestrella browni</i> (Lawrence, 1962)	CN	23, 94, 96
<i>caroli</i> Lawrence, 1966	CN	23, 97
<i>longipes</i> Lawrence, 1965	CN	23, 96
<i>Palystella namaquensis</i> Lawrence, 1938	*DSS	88, 157
<i>pallidus</i> Lawrence, 1938	*SN	23, 88
<i>sexmaculatus</i> Lawrence, 1928	MS, DSS	85, 88, 157
Philodromidae		
* <i>Ebo</i>		
<i>Hirriusa arenaceus</i> (Lawrence, 1927)	MS, K	84, 85, 157
<i>bidentatus</i> (Lawrence, 1927)	MS	84, 157
<i>Philodromus bigibba</i> (Cambridge, 1876)	MS	85, 127, 157
<i>otjimbumbe</i> Lawrence, 1927	MS	84, 157
<i>vulpio</i> Simon, 1910	*DSS	96, 157, 188
<i>Thanatus luderitzi</i> Simon, 1910	SN	96, 157, 188
<i>namaquensis</i> Simon, 1910	*SN	96, 157, 188
<i>pagenstecheri</i> Strand, 1906	DSS	157, 194
<i>Tibellinus australis</i> Simon, 1910	*CK	157, 188
<i>Tibellus vossioni</i> Simon, 1884	MS	28, 56, 84
<i>Tibitanus nomas</i> Simon, 1910	Esc	157, 188
Thomisidae		
<i>Camaricus nigrotessellatus</i> Simon, 1895	TS	29, 89, 157, 178
<i>Diae delata</i> Karsch, 1880	*NK	28, 72, 157
<i>puncta</i> Karsch, 1884	*NK	28, 157
<i>rohani</i> Fage, 1923	*NK	157
<i>Firmicus braganinus</i> (Brito Capello, 1866)	*NK	28, 157
<i>Heriaeus transvaalicus</i> Simon, 1895	*CK	9, 157, 178
<i>Misumena nana</i> De Lessert, 1933	*NK	32, 157
<i>tuckeri</i> De Lessert, 1919	*NK	38, 134, 157
<i>Misumenops rubrodecorata</i> Millot, 1941	MS	38, 42, 105, 134, 157
<i>Monaeses austrinus</i> Simon, 1910	MS, NK	39, 134, 157, 188
<i>griseus</i> Pavesi, 1897	MS, K	39, 85, 119, 134, 157
<i>pustulosus</i> Pavesi, 1895	K	39, 118, 134, 157
<i>quadrituberculatus</i> Lawrence, 1927	MS, NK	39, 84, 134, 157
<i>Parabomis anabensis</i> Lawrence, 1928	MS	85, 157
<i>Paramystaria lata</i> Lawrence, 1927	MS	84, 157
<i>Pherecydes zebra</i> Lawrence, 1927	MS	37, 84, 134, 157
<i>Platythomisus deserticolus</i> Lawrence, 1936	*NK	47, 86, 157
<i>Runcinia aethiops</i> (Simon, 1901)	*NK	36, 38, 42, 47, 157, 183
<i>affinis</i> Simon, 1897	MS	36, 38, 84, 134, 157, 181
<i>carae</i> Dippenaar-Schoeman, 1983	*NK	38, 47, 134
<i>depressa</i> Simon, 1906	*CK	36, 38, 134, 157, 186, 188
<i>flavida</i> (Simon, 1881)	*NK	36, 38, 42, 134, 157, 169
<i>tropica</i> Simon, 1907	DSS	36, 38, 134, 157, 187

	Region	Reference
<i>Stiphropus scutatus</i> Lawrence, 1927	MS, NK	84, 85, 157
<i>Synaema audouini</i> Roewer, 1951	Africa	157, 158
<i>hirtipes</i> Dahl, 1907	*NK	157
<i>Thomisops bullatus</i> Simon, 1895	*CK	43, 157, 178
<i>pupa</i> Karsch, 1879	NK	43, 71, 89, 91, 157
<i>senegalensis</i> Millot, 1941	*CK	43, 105, 157
<i>sulcatus</i> Simon, 1895	HS	43, 157, 178
<i>Thomisus blandus</i> Karsch, 1880	*NK	38, 72, 134, 142, 157
<i>daradiooides</i> Simon, 1890	*NK	38, 134, 157, 174
<i>granulatus</i> Karsch, 1880	*NK	38, 41, 72, 134, 157
<i>kalaharinus</i> Lawrence, 1936	*NK	38, 47, 86, 134, 157
<i>machadoi</i> Comellini, 1959	*MS, NK	23, 24, 38, 134
<i>schultzei</i> Simon, 1910	MS, TS, HS, Esc, CN, *CK, SN, DSS	38, 47, 85, 86, 134, 157, 188
<i>scrupens</i> (Simon, 1886)	MS	38, 41, 134, 157, 172
<i>stenningi</i> Pocock, 1900	*NK	38, 41, 42, 134, 144, 157
<i>tripunctatus</i> Lucas, 1858		157, 188
<i>Tmarus foliatus</i> De Lessert, 1928	*NK	31, 40, 134, 157
<i>hirsutus</i> Comellini, 1955	*NK	40, 134, 157
<i>Xysticus namaquensis</i> Simon, 1910	*SN, *DSS	157, 188
<i>sagittifer</i> Lawrence, 1927	MS, NK	84, 85, 157
Salticidae		
<i>Baryphas ahenus</i> Simon, 1902	*NK	121, 157, 184
* <i>Bianor</i>		
* <i>Cosmophasis</i>		
* <i>Cyrba</i>		
<i>Dendryphantes schultzei</i> Simon, 1910	*SN	26, 96, 157, 188
<i>Encymachus hesperus</i> Lawrence, 1927	MS	84, 157
<i>Festucula australis</i> Lawrence, 1927	MS	26, 84, 157
<i>Habrocestum schinzi</i> Simon, 1887		47, 157, 173, 175
<i>Heliophanus deamatus</i> Peckham & Peckham, 1903	NK	121, 157, 216
<i>debilis</i> Simon, 1901	NK	134, 183
<i>fascinatus</i> Wesolowska, 1986	NK	134, 216
<i>gloriosus</i> Wesolowska, 1986	NK	134, 216
<i>insperatus</i> Wesolowska, 1986	NK	134, 216
<i>lesserti</i> Wesolowska, 1986	NK	134, 216
<i>orchesta</i> Simon, 1885	MS, NK	84, 134, 216
<i>paulus</i> Wesolowska, 1986	NK	134, 216
<i>redimitus</i> Simon, 1910	*SN	26, 134, 157, 188, 216
<i>semirasus</i> Lawrence, 1928	MS	85, 134, 157, 216
<i>trepidus</i> Simon, 1910	NK, CN	96, 134, 188, 216
* <i>Hispo</i>		
* <i>Holcoletis</i>		
<i>Hyllus brevitarsis</i> Simon, 1902	NK	47, 157, 164, 184
<i>dotatum</i> Peckham & Peckham, 1903		47, 121, 164
<i>moestus</i> Peckham & Peckham, 1903	NK	47, 121, 157, 164
<i>natalii</i> Peckham & Peckham, 1903	NK	47, 121, 157, 164
<i>perspicuus</i> Peckham & Peckham, 1903	NK	47, 121, 157, 164

	Region	Reference
<i>treleaveni</i> Peckham & Peckham, 1902	MS	84, 120, 121, 157
<i>Langona bisecta</i> Lawrence, 1927	MS	26, 84, 85, 157
<i>ukualuthensis</i> Lawrence, 1927	MS	26, 84, 157
<i>Meleon kenti</i> (De Lessert, 1925)	NK	134, 157, 212
<i>Menemerus hypenetes</i> Lawrence, 1928	MS	26, 85, 157
<i>lesserti</i> Lawrence, 1927	MS	26, 84, 157
<i>rubicundus</i> Lawrence, 1928	MS	26, 85, 157
<i>Mexcala agilis</i> Lawrence, 1928	MS	26, 85, 157
<i>Mogrus macrocephalus</i> Lawrence, 1927	MS	26, 84, 96, 157
<i>semicanus</i> Simon, 1910	SN	26, 96, 157, 188
<i>Myrmarachne dundoensis</i> Wanless, 1978	NK	23, 210, 219
<i>elongata</i> Szombathy, 1915	*NK	134, 210, 219
<i>foreli</i> De Lessert, 1925	NK	157, 210
<i>globosa</i> Wanless, 1978	*NK	23, 134, 210, 219
<i>kiboschensis</i> De Lessert, 1925	NK	134, 210, 219
<i>inflatipalpis</i> Wanless, 1978	*NK	23, 210
<i>lulengana</i> Roewer, 1965	*CK	23, 162, 210
<i>marshalli</i> Peckham & Peckham, 1903	NK	121, 134, 210
<i>uvira</i> Wanless, 1978	NK	23, 210
<i>Natta chionogastra</i> (Simon, 1901)		134, 149
<i>rufopicta</i> (Simon, 1901)		134, 149
<i>Neaetha heteropogon</i> Simon, 1910	*SN	96, 157, 188
<i>quadrimaculata</i> Lawrence, 1927	MS	84, 157
<i>Paramodunda thyenioides</i> De Lessert, 1925	NK	30, 47, 157, 164
<i>Pellenes rufoclypeatus</i> Peckham & Peckham, 1903	NK	47, 121, 157, 164
<i>Portia africana</i> (Simon, 1886)	*NK	134, 172, 211
<i>cazomboensis</i> Wanless, 1978	*NK	23, 211
* <i>Pseudicius</i>		
* <i>Sitticus</i>		
* <i>Stenaelurillus</i>		
<i>Thyene bilineata</i> Lawrence, 1927	MS, NK	26, 84, 157
<i>damarensis</i> Lawrence, 1927	MS, NK	26, 84, 85, 87, 157
<i>inflata</i> (Gerstäcker, 1873)		26, 157
<i>ingalata</i> (Gerstäcker, ?)	NK	47, 164
<i>Tusitala barbata</i> Peckham & Peckham, 1902	MS	85, 120, 121
INDEX TO FAMILIES AND GENERA		
<i>Adonea</i> p. 158		<i>Amblyothele</i> p. 161
<i>Agelena</i> p. 163		<i>Ammoxenidae</i> p. 165
<i>Agelenidae</i> p. 163		<i>Ammoxenus</i> p. 165
<i>Akyttara</i> p. 164		<i>Ancylotrypa</i> p. 156
<i>Allocosa</i> p. 161		<i>Anyplops</i> p. 167
<i>Allohogna</i> p. 161		<i>Arandisa</i> p. 167
<i>Allothele</i> p. 156		<i>Araneidae</i> pp. 160–161
<i>Alopecosa</i> p. 161		<i>Araneus</i> pp. 160–161
<i>Amaurobiidae</i> p. 163		<i>Archaeodictyna</i> p. 163
		<i>Arctosa</i> p. 161

- Argiope* p. 161
Argistes p. 163
Argyrodes p. 160
Ariadna p. 158
Artoriella p. 161
Asemesthes p. 165
Australoonops p. 158
Austrodomus p. 166
Avicosa p. 161
Baryphas p. 169
Benoitia p. 163
Bianor p. 169
Caerostris p. 161
Caesetius p. 164
Camaricus p. 168
Camillina p. 165
Camostichomma p. 163
Capheris p. 164
Caponia p. 157
Caponiidae p. 157
Carparachne p. 167
Castianeira p. 164
Ceratinopsis p. 160
Ceratogyrus p. 156
Chariobas p. 164
Cheiracanthium p. 164
Cicynethus p. 164
Clubiona p. 164
Clubionidae p. 164
Copa p. 164
Corinnidae p. 164
Coscinida p. 160
Cosmophasis p. 169
Ctenidae p. 167
Ctenizidae p. 156
Ctenolophus p. 156
Ctenus p. 167
- Cyatholipidae* p. 160
Cyatholipus p. 160
Cyrba p. 169
Cydrela p. 164
Cyrioclea p. 164
Cyrtacheniidae p. 156
Cyrtophora p. 161
Deinopidae p. 159
Deinopis p. 159
Dendryphantes p. 169
Desidae p. 163
Desis p. 163
Diae p. 168
Diaphorocellus p. 158
Diapbractus p. 165
Dictynidae p. 163
Diores p. 164
Diploglena p. 157
Dipluridae p. 156
Dipoena p. 160
Drassodes p. 166
Dresserus p. 158
Dusmadiores p. 164
Ebo p. 168
Echemus p. 166
Encymachus p. 169
Enoplognatha p. 160
Episinus p. 160
Eresidae pp. 158–159
Erigone p. 160
Euprosthenops p. 162
Evippa p. 161
Evippomma p. 161
Festucula p. 169
Filistatidae p. 157
Firmicus p. 168
Galeosoma p. 156

- Gamasomorpha* p. 158 *Leucorchestris* p. 167
Gandanameno p. 158 *Linyphiidae* p. 160
Gasteracantha p. 161 *Liocranidae* pp. 163–164
Geolycosa pp. 161–162 *Loxosceles* p. 157
Gnaphosidae pp. 165–166 *Lycorma* p. 162
Graptartia p. 164 *Lycosidae* p. 161–162
Habrocestum p. 169 *Mallinus* p. 165
Hahnia p. 163 *Mashimo* p. 163
Hahniidae p. 163 *Mecynidis* p. 160
Hamataliwa p. 163 *Megamyrmaekion* p. 166
Harpactira p. 157 *Meioneta* p. 160
Harpactirella p. 157 *Meleon* p. 170
Heliophanus p. 169 *Menemerus* p. 170
Heradida pp. 164–165 *Menneus* p. 159
Heriaeus p. 168 *Metaleptyphantes* p. 160
Hermacha p. 156 *Mexcala* p. 170
Hermippus p. 165 *Miagrammopes* p. 159
Hersilia p. 159 *Micaria* p. 166
Hersiliidae p. 159 *Microrchestris* p. 167
Hersiliola p. 159 *Migidae* p. 156
Heteropodidae pp. 167–168 *Misumena* p. 168
Hippasa p. 162 *Misumenops* p. 168
Hirriusa p. 168 *Miturgidae* p. 163
Hispo p. 169 *Moggridgea* p. 156
Hoggicosa p. 162 *Mogrus* p. 170
Holcolaetus p. 169 *Monaeses* p. 168
Homostola p. 156 *Myrmachne* p. 170
Hyllus pp. 169–170 *Namaquarachne* p. 163
Hyltonia p. 166 *Natta* p. 170
Idiopidae p. 156 *Neaetha* p. 170
Idiops p. 156 *Nemesiidae* p. 156
Ikuma p. 158 *Nemoscolus* p. 161
Isoxya p. 161 *Neoscona* p. 161
Langona p. 170 *Nephila* p. 160
Latrodectus p. 160 *Nephrochirus* p. 158
Lepthyphantes p. 160 *Neriene* p. 160
Leucauge p. 160

<i>Nomisia</i> p. 166	<i>Platythomisus</i> p. 168
Ochyroceratidae p. 158	<i>Polys</i> p. 161
<i>Ocyale</i> p. 162	<i>Portia</i> p. 170
Oecobiidae p. 159	Prodidomidae pp. 166–167
<i>Oecobius</i> p. 159	<i>Prodidomus</i> pp. 166–167
<i>Olios</i> pp. 167–168	<i>Proevippa</i> p. 162
<i>Olorunia</i> p. 163	<i>Psammoduon</i> p. 165
Oonopidae p. 158	<i>Psammorygma</i> p. 165
<i>Opopaea</i> p. 158	<i>Pseudauximus</i> p. 163
<i>Orchestrella</i> p. 168	<i>Pseudevippa</i> p. 162
Orsolobidae p. 158	<i>Pseudicius</i> p. 170
<i>Ostearius</i> p. 160	<i>Pterinochilus</i> p. 157
<i>Oxyopes</i> p. 163	<i>Pterotricha</i> p. 166
Oxyopidae p. 163	<i>Purcelliana</i> p. 167
<i>Palfuria</i> p. 165	<i>Pycnacantha</i> p. 161
Palpimanidae p. 158	<i>Ranops</i> p. 165
<i>Palpimanus</i> p. 158	<i>Rastellus</i> p. 165
<i>Palystella</i> p. 168	<i>Rhaebocesis</i> p. 166
<i>Parabomis</i> p. 168	<i>Rothus</i> p. 162
<i>Paradonea</i> p. 158	<i>Runcinia</i> p. 168
<i>Paramodunda</i> p. 170	Salticidae pp. 169–170
<i>Paramystaria</i> p. 168	<i>Scotophaeus</i> p. 166
<i>Pardosa</i> p. 162	<i>Scytodes</i> p. 157
<i>Paroecobius</i> p. 159	Scytodidae p. 157
<i>Pelecopsis</i> p. 160	Segestriidae p. 158
<i>Pellenes</i> p. 170	Selenopidae p. 167
<i>Perenethis</i> p. 162	<i>Selenops</i> p. 167
<i>Peucetia</i> p. 163	<i>Seothyra</i> p. 159
<i>Pherecydes</i> p. 168	<i>Setaphis</i> p. 166
Philodromidae p. 168	Sicariidae p. 157
<i>Philodromus</i> p. 168	<i>Sicarius</i> p. 157
Pholcidae p. 157	<i>Sitticus</i> p. 170
<i>Pholcus</i> p. 157	<i>Smeringopus</i> p. 157
<i>Pionothele</i> p. 156	<i>Spencerella</i> p. 162
<i>Pirata</i> p. 162	<i>Spermophora</i> p. 157
Pisauridae pp. 162–163	<i>Spiroctenus</i> p. 156
<i>Platyoides</i> p. 167	<i>Stasimopus</i> p. 156

Steatoda p. 160
Stegodyphus p. 159
Stenaelurillus p. 170
Stiphropus p. 169
Sulsula p. 158
Synaema p. 169
Syrisca p. 163
Tama p. 159
Tegenaria p. 163
Tetragnatha p. 160
Tetragnathidae p. 160
Thalassius p. 163
Thanatus p. 168
Thelechoris p. 156
Theraphosidae pp. 156–157
Theridiidae p. 160
Theridion p. 160
Theuma p. 167
Thomisidae pp. 168–169
Thomisops p. 169
Thomisus p. 169
Thyene p. 170
Thysanina p. 164
Tibellinus p. 168
Tibellus p. 168
Tibitanus p. 168
Tmarus p. 169
Trachelas p. 164
Triccassa p. 162
Trichothyse p. 166
Trochanteriidae p. 167
Trochosa p. 162
Trochosippa p. 162
Tusitala p. 170
Uloboridae p. 159
Uloborus p. 159
Ulova p. 163

Upognampa p. 166
Uroctea p. 159
Uroecobius p. 159
Xerophaeus p. 166
Xysticus p. 169
Zelotes p. 166
Zenonina p. 162
Zodariidae pp. 164–165

REFERENCES

- ALDERWEIRELDT, M. 1991. A revision of the African representatives of the Wolf spider genus *Evippa* Simon, 1882 (Araneae, Lycosidae) with notes on allied species and genera. Journal of Natural History 25: 359–381.
- BENOIT, P.L.G. 1962. Les Araneidae-Nephilinae africains. Revue de zoologie et de botanique africaines 65(3–4): 217–231.
- BENOIT, P.L.G. 1963. Araneidae-Nephilinae africains du zoologisches Staatsinstitut und Zoologisches Museum Hamburg (Araneae). Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut v. Zooloogisches Museum Hamburg 2(41): 367–372.
- BENOIT, P.L.G. 1964. Nouvelle contribution à la connaissance des Araneidae-Gasteracanthinae d'Afrique et de Madagascar (Araneae). Publicações culturais da Companhia de diamantes da Angola 69: 41–52.
- BENOIT, P.L.G. 1966. Contributions à la connaissance des Urocteidae africains (Araneae-Labidogn.). Bulletin et annales de la Société royale entomologique de Belgique 102(11): 191–195.
- BENOIT, P.L.G. 1967. Révision des espèces africaines du genre *Hersilia* Sav. et Aud. (Aran.-Hersiliidae). Revue de zoologie et de botanique africaines 76(1–2): 1–36.
- BENOIT, P.L.G. 1968. Les Selenopidae africains au Nord du 17° parallèle Sud et reclassement des espèces africaines de la famille (Araneae). Revue de zoologie et de botanique africaines 77(1–2): 113–141.
- BENOIT, P.L.G. 1972. Révision des Ammoxenidae (Araneae Labidognatha). Revue de Zoologie africaine 86(1–2): 179–191.
- BENOIT, P.L.G. 1972. Notules arachnologiques africaines II. Revue de zoologie et de botanique africaines 85(1–2): 177–182.
- BENOIT, P.L.G. 1974. Notules arachnologiques africaines III. Revue de Zoologie africaine 88(2): 427–436.
- BENOIT, P.L.G. 1974. Notules arachnologiques africaines IV. Revue de Zoologie africaine 89(4): 925–933.
- BENOIT, P.L.G. 1978. Contributions à l'étude de la faune terrestre des îles granitiques de l'archipel des

- Séchelles (Araneae Cribellatae). Revue de zoologie africaine 92(3): 675–679.
13. BENOIT, P.L.G. 1978. Contribution à l'étude de la faune terrestre des îles granitiques de l'archipel des Séchelles. Oxyopidae, Zodariidae et Selenopidae. Revue de Zoologie africaine 92(3): 690–699.
 14. BENOIT, P.L.G. 1979. Etudes sur les Ctenidae africaines (Araneae) VIII. Gen. *Ctenus* Walck.—groupe *abditus*. Revue de Zoologie africaine 93: 425–444.
 15. BLACKWALL, J. 1858. Descriptions of six newly discovered species and characters of a new genus of Araneidea. Annals and Magazine of Natural History (3)1: 426–434.
 16. BLACKWALL, J. 1865. Descriptions of recently discovered species and characters of a new genus of Araneida from the East of Central Africa. Annals and Magazine of Natural History (3)16: 336–352.
 17. BLACKWALL, J. 1866. A list of spiders captured in the South-east Region of Equatorial Africa, with descriptions of such species as appear to be new to Arachnologists. Annals and Magazine of Natural History (3)18: 451–468.
 18. BLANDIN, P. 1974. Etudes sur les Pisauridae africaines. 1. Le problème de la définition des genres *Perenethis* L. Koch, 1878, *Tetragonophthalma* Karsch, 1878, *Chiasmopes* Pavesi, 1883 et *Maypacius* Simon, 1898 (Araneae-Pisauridae-Pisaurinae). Revue suisse de zoologie 81(1): 305–318.
 19. BLANDIN, P. 1975. Etudes sur les Pisauridae africaines. III Les espèces des genres *Perenethis* C.L.Koch, 1878 et *Maypacius* Simon, 1898 (Araneae-Pisauridae-Pisaurinae). Revue de Zoologie africaine 89(2): 376–393.
 20. BLANDIN, P. 1976. Etudes sur les Pisauridae africaines. IV. Les espèces du genre *Euprosthenops* Pocock, 1897 (Araneae-Pisauridae-Pisaurinae). Revue de Zoologie africaine 90(1): 63–88.
 21. BLANDIN, P. 1977. Etudes sur les Pisauridae africaines VIII. Les genres *Chiasmopes* Pavesi 1883 et *Rothus* Simon, 1898 (Araneae-Pisauridae-Pisaurinae). Revue de Zoologie africaine 91(3): 538–555.
 22. BÖSENBERG, W. & LENZ, H. 1894. Ostafrikanische spinnen gesammelt von Herrn Dr. F. Stuhlmann in den Jahren 1888 und 1889. Jahrbuch der Hamburgischen wissenschaftlichen Anstalten 12(2): 27–51.
 23. BRIGNOLI, P.M. 1983. A Catalogue of the Araneae described between 1940 and 1981. Manchester University Press, Manchester and New Hampshire.
 24. COMELLINI, A. 1959. Notes sur les Thomisidae d'Afrique. Revue de Zoologie africaine 60: 110–119.
 25. COOKE, J.A.L. 1964. A revisionary study of some spiders of the rare family Prodidomidae. Proceedings of the Zoological Society of London 142: 257–305.
 26. CUTLER, B. 1976. A catalogue of the jumping spiders of southern Africa (Araneae: Lyssomanidae and Salticidae). Cimbebasia (A)4(6): 130–136.
 27. DE DALMAS, R. 1921. Monographie des Araignées de la section des *Pterotricha* (Aran. Gnaphosidae). Annales de la Société entomologique de France 89: 233–328.
 28. DE LESSERT, R. 1919. Araignées du Kilimandjaro et du Mérour (suite). 3. Thomisidae. Revue suisse de zoologie 27: 99–234.
 29. DE LESSERT, R. 1923. Araignées du Sud de l'Afrique. Revue suisse de zoologie 30(6): 161–212.
 30. DE LESSERT, R. 1925. Araignées du Kilimandjaro et du Mérour (suite). 5. Salticidae. Revue suisse de zoologie 31(13): 429–528.
 31. DE LESSERT, R. 1928. Araignées du Congo recueillies au cours de l'expédition organisée par l'American Museum (1909–1915). Deuxième partie. Revue suisse de zoologie 35(18): 303–352.
 32. DE LESSERT, R. 1933. Araignées d'Angola (Résultats de la Mission scientifique suisse en Angola 1928–1929). Revue suisse de zoologie 40(4): 85–159.
 33. DE LESSERT, R. 1936. Araignées de l'Afrique orientale portugaise, recueillies par mm. P. Lesne et H.-B. Cott. Revue suisse de zoologie 43(9): 207–306.
 34. DE WET, J.I. & DIPPENAAR-SCHOEMAN, A.S. (In press). A revision of the genus *Ceratogyrus* Pocock (Araneae: Theraphosidae). Koedoe 34(2).
 35. DES ARTS, L. 1912. Zusammenstellung der afrikanischen Arten der Gattung *Ctenus*. Mitteilungen aus dem Naturhistorischen Museum in Hamburg 29: 183–218.
 36. DIPPENAAR-SCHOEMAN, A.S. 1980. The crab spiders of southern Africa (Araneae: Thomisidae). 1. The genus *Runcinia* Simon, 1875. Journal of the Entomological Society of Southern Africa 43(2): 303–326.
 37. DIPPENAAR-SCHOEMAN, A.S. 1980. The crab-spiders of southern Africa (Araneae: Thomisidae). 2. The genera *Pherecydes* Pickard-Cambridge, 1883 and *Smidicinus* Simon, 1895. Journal of the Entomological Society of Southern Africa 43(2): 327–340.
 38. DIPPENAAR-SCHOEMAN, A.S. 1983. The spider genera *Misumena*, *Misumenops*, *Runcinia* and *Thomisus* (Araneae: Thomisidae) of southern Africa. Entomology Memoirs. Department of Agriculture, Republic of South Africa 55: 1–66.
 39. DIPPENAAR-SCHOEMAN, A.S. 1984. The crab-spiders of southern Africa (Araneae: Thomisidae). 4. The genus *Monaeses* Thorell, 1869. Phytophylactica 16: 101–116.
 40. DIPPENAAR-SCHOEMAN, A.S. 1985. The crab-spiders of southern Africa (Araneae: Thomisidae). 5. The genus *Tmarus* Simon, 1875. Phytophylactica 17: 115–128.
 41. DIPPENAAR-SCHOEMAN, A.S. 1988. An annotated check list of the crab-spiders of Malawi (Araneae: Thomisidae). 1. The genera *Misumenops*, *Runcinia* and *Thomisus*, with a description of a new species. Revue de Zoologie africaine 102(4): 429–438.
 42. DIPPENAAR-SCHOEMAN, A.S. 1988. Annotated checklist of the spiders (Araneae) of the Mountain Zebra National Park. Koedoe 31: 151–160.

43. DIPPENAAR-SCHOEMAN, A.S. 1989. The crab spiders of southern Africa (Araneae: Thomisidae). 8. The genus *Thomisops* Karsch, 1879. *Phytophyllactica* 21: 319–330.
44. DIPPENAAR-SCHOEMAN, A.S. 1990. A revision of the African spider genus *Seothyra* Purcell, 1903 (Araneae: Eresidae). *Cimbebasia* 12: 135–160.
45. DIPPENAAR, A.S. & MEYER, M.K.P. 1980. On the species of the African genus *Ammoxenus* (Araneae: Ammoxenidae) with descriptions of two new species. *Journal of the Entomological Society of Southern Africa* 43(1): 41–49.
46. DIPPENAAR-SCHOEMAN, A.S. & NEWLANDS, G. 1980. The Button Spiders of South Africa. *Farming in South Africa* 146: 1–4.
47. EAGLE, V. 1985. A survey of the spider fauna of Botswana (Project report June 1984). *Botswana Notes & Records* 17: 131–139.
48. EBERHARD, W.G. 1988. Combing and sticky silk attachment behaviour by cribellate spiders and its taxonomic implications. *Bulletin of the British Arachnological Society* 7(8): 247–251.
49. ENGELBRECHT, C.M. 1975. Knopiespinnekoppe. *National Museum News* 8.
50. GRASSHOFF, M. 1984. Die Radnetzspinnen-Gattung *Caerostris* (Arachnida: Araneae). *Revue de Zoologie africaine* 98(4): 725–765.
51. GRASSHOFF, M. 1986. Die Radnetzspinnen-gattung *Neoscona* in Afrika (Arachnida: Araneae). *Annales du Musée royal de l'Afrique centrale* 250: 1–123.
52. GRISWOLD, C. 1987. The African members of the trap-door spider family Migidae (Araneae; Mygalomorphae) 1.: The genus *Moggridgea* O.P. Cambridge, 1875. *Annals of the Natal Museum* 28(1): 1–118.
53. GRISWOLD, C.E. 1990. A revision and phylogenetic analysis of the spider subfamily Phyxelidinae (Araneae, Amaurobiidae). *Bulletin of the American Museum of Natural History* 196: 1–206.
54. HANN, S.W. 1990. A new combination involving *Lithophantes lepidus* Cambridge 1897 and a new name for *Teutana lepida* Cambridge 1903 (Araneae, Theridiidae). *New Zealand Journal of Zoology* 17: 283.
55. HENSCHEL, J.R. 1990. The biology of the *Leucorchestris arenicola* (Araneae: Heteropodidae), a burrowing spider of the Namib dunes. In SEELY, M.K. (ed.). *Namib Ecology*: 115–127. Transvaal Museum Monograph No.7, Pretoria.
56. HEWITT, J. 1914. Descriptions of new arachnida from South Africa. *Record of the Albany Museum* 3(1): 1–37.
57. HEWITT, J. 1914. Records and descriptions of Arachnida of the collection. In Percy Sladen Memorial Expedition to Great Namaqualand 1912–1913. *Annals of the Transvaal Museum* 4(3): 146–159.
58. HEWITT, J. 1915. Descriptions of several new or rare species of Araneae from the Transvaal and neighbourhood. *Annals of the Transvaal Museum* 5(2): 89–100.
59. HEWITT, J. 1915. Descriptions of new South African Arachnida. *Record of the Albany Museum* 3(2): 70–106.
60. HEWITT, J. 1934. On several solifuges, scorpions and a trapdoor spider from South West Africa. *Annals of the Transvaal Museum* 15(3): 401–412.
61. HEWITT, J. 1935. Scientific results of the Vernay-Lang Kalahari expedition, March to September 1930. The trap-door spiders, scorpions and solifuges. *Annals of the Transvaal Museum* 16(3): 459–479.
62. HOLM, Å. 1968. Spiders of the families Erigonidae and Linyphiidae from East and Central Africa. *Annales du Musée royal de l'Afrique centrale* 171: 1–49.
63. HYATT, K.H. 1954. The African spiders of the family Ctenidae in the collections of the British Museum (Natural History). *Annals and Magazine of Natural History* (12)7: 877–894.
64. JOCQUÉ, R. 1984. Linyphiidae (Araneae) from South Africa. Part 1: The collection of the Plant Protection Research Institute, Pretoria. *Journal of the Entomological Society of Southern Africa* 47(1): 121–146.
65. JOCQUÉ, R. 1987. Descriptions of new genera and species of African Zodariinae with a revision of the genus *Heradida* (Araneae, Zodariidae). *Revue de Zoologie africaine* 101: 143–163.
66. JOCQUÉ, R. 1990. A revision of the Afrotropical genus *Diores* (Araneae, Zodariidae). *Annales du Musée royal de l'Afrique centrale* 260: 1–81.
67. JOCQUÉ, R. 1990. A revision of the genera *Caesetius* and *Psammodon* (Araneae, Zodariidae). *Cimbebasia* 12: 75–98.
68. JOCQUÉ, R. 1991. A generic revision of the spider family Zodariidae (Araneae). *Bulletin of the American Museum of Natural History* 201: 1–160.
69. KARSCH, F. 1878. Ueber einige von Herrn J.M. Hildebrandt im Zanzibargebiete erbeutete Arachniden. *Zeitschrift für die gesammten Naturwissenschaften* 51: 311–322.
70. KARSCH, F. 1878. Exotisch araneologisches. *Zeitschrift für die gesammten Naturwissenschaften* 51: 323–333.
71. KARSCH, F. 1879. West-afrikanische Myriopoden und Arachniden. *Zeitschrift für die gesammten Naturwissenschaften* 52: 828–837.
72. KARSCH, F. 1880. Arachnologische Blätter (Decas 1). *Zeitschrift für die gesammten Naturwissenschaften* 53: 373–409.
73. KARSCH, F. 1891. Arachniden von Ceylon und von Minikoy gesammelt von den Herren P. und F. Sarasin. *Berliner entomologische Zeitschrift* 36(2): 276.
74. KOCH, C.L. 1838. Die Arachniden. Vierter Band, Nürnberg.
75. KRAUS, O. 1957. Araneenstudien. 1. Pholcidae (Smeringopodinae, Ninetinae). *Senckenbergiana biologica* 38(3/4): 217–243.

76. KRAUS, O. 1984. Male spider genitalia: Evolutionary changes in structure and function. *Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg* 27: 373–382.
77. KRAUS, O. & KRAUS, M. 1988. The genus *Stegodyphus* (Arachnida, Araneae). Sibling species, species groups, and parallel origin of social living. *Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg* 30: 151–254.
78. KRONESTEDT, T. 1987. On some African and Oriental wolf spiders (Araneae, Lycosidae): redescription of *Pardosa oncka* Lawrence from Africa, with notes on its generic position. *Journal of Natural History* 21: 967–976.
79. LAMORAL, B.H. 1968. On the nest and web structure of *Lactrodectus* in South Africa, and some observations on body colouration of *L. geometricus* (Araneae: Theridiidae). *Annals of the Natal Museum* 20(1): 1–14.
80. LAMORAL, B.H. 1968. On the species of the genus *Desis* Walckenaer, 1837 (Araneae: Amaurobiidae) found on the rocky shores of South Africa and South West Africa. *Annals of the Natal Museum* 20(1): 139–150.
81. LAMORAL, B.H. 1968. On the ecology and habitat adaptations of two intertidal spiders, *Desis formidabilis* (O.P. Cambridge) and *Amaurobiodes africanus* Hewitt, at "The Island" (Kommetjie, Cape Peninsula), with notes on the occurrence of two other spiders. *Annals of the Natal Museum* 20(1): 151–193.
82. LAMORAL, B.H. 1971. These spiders are "drowned" every day. *African Wild Life* 25(1): 7–10.
83. LAMORAL, B.H. 1981. *Paroecobius wilmostae*, a new genus and species of spider from the Okavango Delta, Botswana (Araneae: Oecobiidae: Oecobiinae). *Annals of the Natal Museum* 24(2): 507–512.
84. LAWRENCE, R.F. 1927. Contributions to a knowledge of the fauna of South West Africa. V. Arachnida. *Annals of the South African Museum* 25(1): 1–75.
85. LAWRENCE, R.F. 1928. Contributions to a knowledge of the fauna of South West Africa. VII. Arachnida. *Annals of the South African Museum* 25(2): 217–312.
86. LAWRENCE, R.F. 1936. Scientific results of the Vernay-Lang Kalahari Expedition, March-September 1930. Spiders (Ctenizidae excepted). *Annals of the Transvaal Museum* 17(2): 145–158.
87. LAWRENCE, R.F. 1937. A collection of Arachnida from Zululand. *Annals of the Natal Museum* 8(2): 211–273.
88. LAWRENCE, R.F. 1938. Transvaal Museum expedition to South West Africa and Little Namaqualand, May to August, 1937. Spiders. *Annals of the Transvaal Museum* 19(2): 215–226.
89. LAWRENCE, R.F. 1938. A collection of spiders from Natal and Zululand. *Annals of the Natal Museum* 8(3): 455–524.
90. LAWRENCE, R.F. 1940. The genus *Selenops* (Araneae) in South Africa. *Annals of the South African Museum* 32(6): 555–608.
91. LAWRENCE, R.F. 1942. A contribution to the Aranoid fauna of Natal and Zululand. *Annals of the Natal Museum* 10(2): 141–190.
92. LAWRENCE, R.F. 1947. A collection of Arachnida made by Dr. I. Tärgardh in Natal and Zululand. *Göteborgs Kongl. Vetenskaps-och Vitterhets-Samhälles Handlingar* B5(9): 33.
93. LAWRENCE, R.F. 1952. New spiders from the Eastern Half of South Africa. *Annals of the Natal Museum* 12(2): 183–226.
94. LAWRENCE, R.F. 1962. Spiders of the Namib Desert. *Annals of the Transvaal Museum* 24(2,3): 197–212.
95. LAWRENCE, R.F. 1964. New cavernicolous spiders of South Africa. *Annals of the South African Museum* 48(2): 57–75.
96. LAWRENCE, R.F. 1965. New and little known arachnida from the Namib Desert, S.W. Africa. *Scientific Papers of the Namib Desert Research Station* 27: 1–12.
97. LAWRENCE, R.F. 1966. New dune spiders (Sparsasidae) from the Namib Desert, South West Africa. *Cimbabesia* 17: 3–15.
98. LAWRENCE, R.F. 1968. Four new spiders from southern Africa (Araneae). *Annals of the Natal Museum* 20(1): 109–121.
99. LEHTINEN, P.T. 1967. Classification of the cribellate spiders and some allied families, with notes on evolution of the suborder Araneomorpha. *Annales Zoologici Fennici* 4(3): 199–468.
100. LEVY, G. & AMITAI, P. 1982. The cobweb spider genus *Steatoda* (Araneae, Theridiidae) of Isreal and Sinai. *Zoologica Scripta* 11(1): 13–30.
101. LUCAS, H. 1846. *Histoire naturelle des Animaux articulés*. In *Exploration scientifique de l'Algérie pendant les années 1840–1842*. Sciences physiques. *Zoologie* 1: 89–271.
102. MACKAY, I.R. 1972. A new species of widow spider (genus *Latrodectus*) from southern Africa (Araneae: Theridiidae). *Psyche* 79(3): 236–242.
103. MARTINDALE, C.B. & NEWLANDS, G. 1982. The widow spiders: A complex of species. *South African Journal of Science* 78(2): 78–79.
104. MEISE, W. 1932. Über die Stachelspinnen der Gattung *Pycnacantha* Blackwall. *Zoologische Anzeiger* 100(3–4): 73–79.
105. MILLOT, J. 1941. Les Araignées de l'Afrique occidentale Française. Thomisides. *Mémoires de l'Académie des sciences de l'Institut de France* 65: 1–82.
106. NEWLANDS, G. 1975. Review of the medically important spiders in southern Africa. *South African Medical Journal* 49(10): 823–826.

107. NEWLANDS, G. 1975. A revision of the spider genus *Loxosceles* Heineken and Lowe, 1835 (Araneae: Scytodidae) in southern Africa with notes on the natural history and morphology. *Journal of the Entomological Society of Southern Africa* 38(2): 141–154.
108. NEWLANDS, G. 1980. A new spelaean species of *Loxosceles* (Araneae: Sicariidae). *Journal of the Entomological Society of Southern Africa* 43(2): 367–369.
109. NEWLANDS, G. 1982. Loxoscelism in the Transvaal, South Africa. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 76(5): 610–615.
110. NEWLANDS, G. 1986. Necrotic arachnidism in southern Africa. Ph.D. thesis, University of Witwatersrand, Johannesburg.
111. NEWLANDS, G. 1987. Spiders and Scorpions of Southern Africa. C. Struik (Pty) Ltd, Cape Town.
112. NEWLANDS, G. (in press). A review of the African species of the spider genus *Sicarius* (Sicariidae, Araneae). *Annals of the Transvaal Museum*.
113. NEWLANDS, G. & DEMEILLON, E. 1986. Spiders. C. Struik, Cape Town.
114. OKUMA, C. 1984. Notes on the African species of *Tetragnatha* (Araneae: Tetragnathidae). *Esakia* 22: 87–93.
115. OKUMA, C. & DIPPENAAR-SCHOEMAN, A.S. 1988. *Tetragnatha* (Araneae: Tetragnathidae) in the collection of the Plant Protection Research Institute, Pretoria with a description of a new species. *Phytophylactica* 20: 219–232.
116. PALMGREN, P. 1977. Die Spinnenfauna Finnlands und Ostfennoskandiens VIII. *Fauna Fennica* 30: 1–50.
117. PAVESI, P. 1883. Studi sugli Aracnidi africani III. Aracnidi del regno di Scioa e considerazioni sull'aracnofauna d'Abissinia. *Annali del Museo Civico di storia naturale di Giacomo Doria* 20: 5–105.
118. PAVESI, P. 1895. Esplorazione del Giuba e dei suoi affluenti compiuta dal Cap. Bottego. 18. Aracnidi. *Annali del Museo civico di storia naturale di Giacomo Doria* 35: 493–537.
119. PAVESI, P. 1897. Studi sugli Aracnidi africani. 9. Aracnidi Somali e Galla raccolti da Don Eugenio dei Principi Rispoli. *Annali del Museo civico di storia naturale di Giacomo Doria* 38: 151–188.
120. PECKHAM, G.W. & PECKHAM, E.G. 1902. Some new genera and species of Attidae from South Africa. *Psyche* 9: 330–335.
121. PECKHAM, G.W. & PECKHAM, E.G. 1902–1904. New species of the family Attidae from South Africa with notes on the distribution of the genera found in the Ethiopian region. *Transactions of the Wisconsin Academy of Sciences, Arts & Letters* 14: 173–278.
122. PENRITH, M.-L. & KENSLEY, B.F. 1970. The constitution of the intertidal fauna of rocky shores of South West Africa. *Cimbebasia* (A)1(9): 191–214.
123. PETRUNKEVITCH, A. 1933. An inquiry into the natural classification of spiders, based on a study of their internal anatomy. *Transactions of the Connecticut Academy of Arts and Sciences* 31: 299–389.
124. PICKARD-CAMBRIDGE, F.O. 1898. On the Cteniform spiders of Africa, Arabia and Syria. *Proceedings of the Zoological Society of London* 1898: 13–32.
125. PICKARD-CAMBRIDGE, O. 1869. Descriptions and sketches of some new species of Araneida, with characters of a new genus. *Annals and Magazine of Natural History* (4)3: 52–74.
126. PICKARD-CAMBRIDGE, O. 1874. Specific descriptions of trap-door spiders. In Moggridge, J.T. (ed.). *Supplement to harvesting ants and trap-door spiders*: 254–301. London.
127. PICKARD-CAMBRIDGE, O. 1876. Catalogue of a collection of spiders made in Egypt, with descriptions of new species and characters of a new genus. *Proceedings of the Zoological Society of London* 1876: 541–630.
128. PICKARD-CAMBRIDGE, O. 1890. On some new species and two new genera of Araneida. *Proceedings of the Zoological Society of London*, 1890: 620–629.
129. PICKARD-CAMBRIDGE, O. 1904. Descriptions of some new species and characters of three new genera of Araneidea from South Africa. *Annals of the South African Museum* 3(5): 143–165.
130. PLATNICK, N.I. 1975. A revision of the palpimanid spiders of the new subfamily Otiothopinae (Araneae, Palpimanidae). *American Museum Novitates* 2562: 1–32.
131. PLATNICK, N.I. 1975. A revision of the Holarctic spider genus *Callilepis* (Araneae, Gnaphosidae). *American Museum Novitates* 2573: 1–32.
132. PLATNICK, N.I. 1981. A review of the spider subfamily Palpimaninae (Araneae, Palpimanidae) I. *Bulletin of the British Arachnological Society* 5(4): 169–173.
133. PLATNICK, N.I. 1985. Studies on Malagasy spiders, 2. The family Trochanteriidae (Araneae, Gnaphosoidea), with a revision of the genus *Platyoides*. *American Museum Novitates* 2808: 1–17.
134. PLATNICK, N.I. 1989. Advances in Spider Taxonomy 1981–1987. Manchester University Press, Manchester and New York.
135. PLATNICK, N.I. 1990. Spinneret morphology and the phylogeny of ground spiders (Araneae, Gnaphosoidea). *American Museum Novitates* 2978: 1–42.
136. PLATNICK, N.I., CODDINGTON, J.A., FORSTER, R.R. & GRISWOLD, C.E. 1991. Spinneret morphology and the phylogeny of haplogyne spiders (Araneae, Araneomorphae). *American Museum Novitates* 3016: 1–73.
137. PLATNICK, N.I. & GRIFFIN, R.E. 1988. On the first African and Australian spiders of the genus *Cyriocoea* (Araneae: Zodariidae). *Journal of the New York Entomological Society* 96(3): 359–362.
138. PLATNICK, N.I. & GRIFFIN, E. 1990. On *Rastellus*, a new genus of the spider family Ammoxenidae

- (Araneae, Gnaphosoidea). American Museum Novitates 2995: 1–11.
139. PLATNICK, N.I. & MURPHY, J.A. 1987. Studies on Malagasy spiders, 3. The Zelotine Gnaphosidae (Araneae, Gnaphosoidea), with a review of the genus *Camillina*. American Museum Novitates 2874: 1–33.
140. POCOCK, R.I. 1897. On the spiders of the suborder Mygalomorphae from the Ethiopian Region, contained in the collection of the British Museum. Proceedings of the Zoological Society London 1897: 724–774.
141. POCOCK, R.I. 1898. On the Arachnida taken in the Transvaal and in Nyasaland by Mr W.L. Distant and Dr Percy Randall. Annals and Magazine of Natural History (7)1: 308–321.
142. POCOCK, R.I. 1898. The Arachnida from the province of Natal, South Africa, contained in the collection of the British Museum. Annals and Magazine of Natural History (7)2: 197–225.
143. POCOCK, R.I. 1898. On the Scorpions, Spiders and Solpugids, collected by Mr. C. Steuart Bettan in British East Africa. Proceedings of the Zoological Society of London 1898: 497–524.
144. POCOCK, R.I. 1900. Some new Arachnida from Cape Colony. Annals and Magazine of Natural History (7)6: 316–333.
145. POCOCK, R.I. 1901. Diagnoses of some new species of spiders from Mashonaland. Annals and Magazine of Natural History (7)7: 337–340.
146. POCOCK, R.I. 1902. Descriptions of some new species of African Solifugae and Araneae. Annals and Magazine of Natural History (7)10: 6–27.
147. PRINS, A.J. 1983. Morphological and biological notes on some South African arthropods associated with decaying organic matter. Part 1: Chilopoda, Diplopoda, Arachnida, Crustacea, and Insecta. Annals of the South African Museum 92(2): 53–112.
148. PRINS, A. & LEROUX, V. 1986. South African Spiders and Scorpions. Anubis Press, Cape Town.
149. PROSZYNSKI, J. 1985. On *Siler*, *Silerella*, *Cyllobelus* and *Natta* (Araneae, Salticidae). Annales zoologici Warsz 39: 69–85.
150. PURCELL, W.F. 1902. New South African trap-door spiders of the family Ctenizidae in the collection of the South African Museum. Transactions of the South African Philosophical Society 11(4): 348–382.
151. PURCELL, W.F. 1903. New arachnida collected by Mr S.C. Cronwright Schreiner at Hanover, Cape Colony. Annals of the South African Museum 3(1): 13–40.
152. PURCELL, W.F. 1903. New South African spiders of the families Migidae, Ctenizidae, Barychelidae, Dipluridae, and Lycosidae. Annals of the South African Museum 3(4): 69–141.
153. PURCELL, W.F. 1904. Descriptions of new genera and species of South African spiders. Transactions of the South African Philosophical Society 15(3): 115–174.
154. PURCELL, W.F. 1907. New South-African spiders of the family Drassidae in the collection of the South African Museum. Annals and Magazine of Natural History (7)20: 297–336.
155. PURCELL, W.F. 1908. Araneae (I). In SCHULTZE, L. Forschungsreise in Südafrika. 1(2) Denkschriften der medicinisch-naturwissenschaftlichen gesellschaft zu Jena: 205–246.
156. RAVEN, R.J. 1985. The spider infraorder Mygalomorphae (Araneae): Cladistics and systematics. Bulletin of the American Museum of Natural History 182(1): 1–180.
157. ROEWER, C.F. 1942–1955. Katalog der Araneae 1758–1940, I–III. Bremen & Brussels.
158. ROEWER, C.F. 1951. Neue Namen einiger Aranenarten. Abhandlungen hrsg. vom Naturwissenschaftlichen Verein zu Bremen 32(2): 437–486.
159. ROEWER, C.F. 1954. Araneae Lycosaformia 1. (Agelenidae, Hahniidae, Pisauridae). Exploration du Parc National Upemba. Mission G.F. de Witte 30: 1–420.
160. ROEWER, C.F. 1960. Araneae Lycosaformia II (Lycosidae). Exploration du Parc National Upemba. Mission G.F. de Witte 55: 3–518.
161. ROEWER, C.F. 1960. Araneae Lycosaformia II (Lycosidae). Exploration du Parc National Upemba. Mission G.F. de Witte 55: 519–1040.
162. ROEWER, C.F. 1965. Die Lyssomanidae und Salticidae Pluridentati der Aethiopischen Region. Annales du Musée royal de l'Afrique centrale 139: 1–86.
163. ROTH, V.D. & BROWN, W.L. 1986. Catalog of Nearctic Agelenidae. Occasional Papers the Museum Texas Tech University 99: 1–21.
164. RUSSELL-SMITH, A. 1981. Seasonal activity and diversity of ground-living spiders in two African savanna habitats. Bulletin of the British Arachnological Society 5(4): 145–154.
165. RUSSELL-SMITH, A. 1981. A revision of the genus *Chalepus* Simon (Araneae: Lycosidae). Journal of Natural History 15: 223–244.
166. SCHARFF, N. 1990. A catalogue of African Linyphiidae (Araneae). Steenstrupia 16(8): 117–152.
167. SCHMIDT, G. 1990. Courtship behaviour, copulation and crossing experiments in *Latrodectus* species (Araneida: Theridiidae). Acta Zoologica Fennica 190: 351–355.
168. SIERWALD, P. 1987. Revision der gattung *Thalassius* (Arachnida, Araneae, Pisauridae). Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg 29: 51–142.
169. SIMON, E. 1881. Descriptions d'Arachnides nouveaux d'Afrique. Bulletin de la Société zoologique de France 6: 1–15.
170. SIMON, E. 1884. Les arachnides de France. Paris. 5(2–3): 180–808.

171. SIMON, E. 1884. Arachnides recueillis à Khartoum (Soudan égyptien) par M. Vossion, vice-consul de France et appartenant au Muséum de Paris. Bulletin de la Société zoologique de France 9: 1–28.
172. SIMON, E. 1886. Espèces et genres nouveaux de la famille des Thomisidae. Actes de la Société linnéenne de Bordeaux 40: 167–187.
173. SIMON, E. 1887. Etudes arachnologique 20^e Mémoire. 28. Arachnides recueillis dans le sud de l'Afrique par M. le docteur Hans Schinz. Annales de la Société entomologique de France (6)7: 369–384.
174. SIMON, E. 1890. Etudes arachnologique 22^e Mémoire. 34. Etude sur les Arachnides de l'Yemen. Annales de la Société entomologique de France (6)10: 77–124.
175. SIMON, E. 1892–1895. Histoire Naturelle des Araignées. 1(1). Paris.
176. SIMON, E. 1893. Etudes arachnologiques 25^e Mémoire. 40. Descriptions d'espèces et de genres nouveaux de l'ordre des Araneae. Annales de la Société entomologique de France 62: 299–330.
177. SIMON, E. 1893. Histoire naturelle des Araignées 1(2), Paris.
178. SIMON, E. 1895. Descriptions d'Arachnides nouveaux de la famille des Thomisidae. Annales de la Société entomologique de Belgique 39: 432–443.
179. SIMON, E. 1896. Descriptions d'Arachnides nouveaux de la famille des Clubionidae. Annales de la Société entomologique de Belgique 40: 400–422.
180. SIMON, E. 1896. Arachnides recueillis par M. Arnold Penner dans l'Afrique austral. Bulletin de la Société zoologique de France 21: 220–230.
181. SIMON, E. 1897–1903. Histoire Naturelle des Araignées, 2(1–4). Paris.
182. SIMON, E. 1898. Descriptions d'Arachnides nouveaux des familles des Agelenidae, Pisauridae, Lycosidae et Oxyopidae. Annales de la Société entomologique de Belgique 42: 5–34.
183. SIMON, E. 1901. Etude sur les Arachnides recueillis au cours de la Mission de Bonchamps à travers l'Ethiopie, de Djibouti au Nil blanc (1897–1898). Annales de la Société entomologique de France 70: 18–26.
184. SIMON, E. 1902. Etudes arachnologiques. 32^e Mémoire. LI. Descriptions d'espèces nouvelles de la famille des Salticidae (suite). Annales de la Société entomologique de France 71: 389–421.
185. SIMON, E. 1902. Arachnides recueillis au cours de la Mission de mm. J. Bonnier et Ch. Pérez au Golfe Persique. Bulletin du Museum d'histoire naturelle 8: 252–254.
186. SIMON, E. 1906. Ergebnisse der mit Subvention aus der Erbschaft Treitl unternommenen zoologischen Forschungsreise Dr F. Werner's nach dem Ägyptischen Sudan und Nord-Uganda VII. Araneida. Sitzungsberichte der K. Akademie der Wissenschaften. Wien. 115: 1159–1176.
187. SIMON, E. 1907. Arachnides recueillis par L. Fea sur la côte occidentale d'Afrique 1re partie. Annali del Museo Civico di Storia naturale Giacomo Doria (3)4: 218–390.
188. SIMON, E. 1910. Arachnoidea: Araneae (II). In SCHULTZE, L. Zoologische und anthropologische Ergebnisse einer Forschungsreise im Westlichen und zentralen Südafrika, 4(11). Denkschriften der medizinisch-naturwissenschaftlichen gesellschaft zu Jena: 176–218.
189. SMITH, A.M. 1986. The Tarantula. Classification and identification guide. Fitzgerald Publishing, London.
190. SMITH, A.M. 1990. How to use the spermathecae as a taxonomic tool in theraphosid identification. The Spider Club News 5(1): 4–7.
191. SMITH, A.M. 1990. Baboon Spiders. Tarantulas of Africa and the Middle East. Fitzgerald Publishing, London.
192. SMITHERS, R.H. 1944. Contributions to our knowledge of the genus *Lactrodetus* (Araneae) in South Africa. Annals of the South African Museum 36(3): 263–312.
193. SMITHERS, R.H.N. 1945. The Hersiliidae (Araneae) of South Africa. Transactions of the Royal Society of South Africa 31(1): 1–18.
194. STRAND, E. 1906. Diagnosen nordafrikanischer hauptsächlich von Carlo Freiherr von Erlanger gesammelter Spinnen. Zoologischer Anzeiger 30: 604–637.
195. STRAND, E. 1906. Tropisch-afrikanische Spinnen des Kgl. Naturalien-kabinetts in Stuttgart. Jahresshete des Vereins für vaterländische Naturkunde in Württemberg 62: 13–103.
196. STRAND, E. 1906. Weiteres über afrikanische Spinnen des naturhistorischen museums zu Wiesbaden. Jahrbücher des Nassauischen Vereins für Naturkunde 59: 285–298.
197. STRAND, E. 1907. Vorläufige Diagnosen afrikanischer und südamerikanischer Spinnen. Zoologischer Anzeiger 31: 525–558.
198. STRAND, E. 1907. Afrikanische spinnen (exkl. Aviculariiden) hauptsächlich aus dem Kapland. Zoologische Jahrbücher (Systematik) 25: 557–731.
199. STRAND, E. 1907. Spinnen des zoologischen Instituts in Tübingen. Zoologische Jahrbücher (Systematik) 24: 391–468.
200. STRAND, E. 1915. Dritte mitteilung über Spinnen aus Pälastina, gesammelt von Herrn Dr. J. Aharoni. Archiv für Naturgeschichte 81: 134–171.
201. STRAND, E. 1915. Über afrikanische Arten der Spinnengattung *Prodidomus* Hentz. Jahrbücher des Nassauischen Vereins für Naturkunde 68: 76–86.
202. STRAND, E. 1915. Neue oder wenig bekannte äthiopische Spinnen aus dem naturhistorischen Museum in Wiesbaden. Jahrbücher des Nassauischen Vereins für Naturkunde 68: 88–100.
203. STRAND, E. 1916. Zehn neue äthiopische Lycosiden nebst Bemerkungen über einige weitere exotische Ara-

- neae. Jahrbücher des Nassauischen Vereins für Naturkunde 69: 98–118.
204. STRAND, E. 1917. Zur Kenntnis afrikanischer Arten der Aviculariiden Gattungen *Idiops* Perty, *Harpactira* Auss. und *Pterinochilus* Poc. Jahrbücher des Nassauischen Vereins für Naturkunde 70: 162–171.
205. TUCKER, R.W.E. 1917. On some South African Aviculariidae (Arachnida). Families Migidae, Ctenizidae, Diplochileae and Dipluridae. Annals of the South African Museum 17(2): 79–138.
206. TUCKER, R.W.E. 1920. Contributions to the South African arachnid fauna II—On some new South African spiders of the families Barychelidae, Dipluridae, Eresidae, Zodariidae, Hersiliidae, Urocteidae, Clubionidae. Annals of the South African Museum 17(5): 439–486.
207. TUCKER, R.W.E. 1923. The Drassidae of South Africa (Arachnida). Annals of the South African Museum 19(2): 251–437.
208. TULLGREN, A. 1910. Araneae. In Wissenschaftliche Ergebnisse der Schwedischen Zoologischen Expedition nach dem Kilimandjaro dem Meru und dem Umgebenden Massaisteppen Deutsch-Ostafrikas 1905–1906 unter Leitung von Prof Yngve Sjöstedt. Stockholm. 20(6): 85–172.
209. VAN NIEKERK, P. 1990. A revision of the genus *Peucetia* (Araneae: Oxyopidae) from the Afrotropical region. M.Sc. thesis, Rand Afrikaans University.
210. WANLESS, F.R. 1978. A revision of the spider genera *Belippo* and *Myrmarachne* (Araneae: Salticidae) in the Ethiopian region. Bulletin of the British Museum of Natural History 33(1): 1–139.
211. WANLESS, F.R. 1978. A revision of the spider genus *Portia* (Araneae: Salticidae). Bulletin of the British Museum of Natural History 34(3): 83–124.
212. WANLESS, F.R. 1984. A revision of the spider family Spartaeinae nom.n. (Araneae: Salticidae) with descriptions of six new genera. Bulletin of the British Museum of Natural History 46(2): 135–205.
213. WANLESS, F.R. 1985. A revision of the spider genera *Holcolaetus* and *Sonoita* (Araneae: Salticidae). Bulletin of the British Museum of Natural History 48(4): 249–278.
214. WARD, P.I. & ENDERS, M.M. 1985. Conflict and cooperation in the group feeding of the social spider *Stegodyphus mimosarum*. Behavior 94(1–2): 167–182.
215. WARREN, E. 1928. The comparative histology of the testis and the origin of the spermatozoa in certain South African spiders. Annals of the Natal Museum 6(1): 1–88.
216. WESOLOWSKA, W. 1986. A revision of the genus *Heliophanus* C.L. Koch, 1833 (Araneae: Salticidae). Annales Zoologici 40(1): 1–254.
217. WHARTON, R.A. 1980. Insects and arachnids associated with *Zygophyllum simplex* (Zygophyllaceae) in the central Namib Desert. Madoqua 12(3): 131–139.
218. WUNDERLICH, J. 1987. Die Spinnen der Kanarischen Inseln und Madeiras: Adaptive Radiation, Biogeographie, Revisionen und Neubeschreibungen. Triops Verlag, Langen.
219. ZABKA, M. 1985. Systematic and zoogeographic study on the family Salticidae (Araneae) from Viet-Nam. Annales Zoologici 39(11): 197–485.

Manuscript received July 1991; accepted September 1991